VOLUME 31 • AUTHOR INDEX

Aldridge J *see* Budgett R *et al*
Andrews JR *see* Bailey DM *et al*
Arif M *see* Majumdar P *et al*
Armstrong N *see* Welsman JR *et al*
Atkinson G *see* Nevill AM and Atkinson G

Bailey DM, Davies B. Physiological implications of altitude training for endurance performance at sea level: a review: *review,* **183**
Bailey DM *et al.* British Association of Sport and Medicine: Annual Congress 1996: *abstract,* **89**
Recovery from infectious mononucleosis after altitude training in an elite middle distance runner, **153**
Bann S *see* Haddad FS *et al*
Barnes CA, Soltvedt R. British Association of Sport and Medicine: Annual Congress 1996: *abstract,* **89**
Barnes M. Acute compartment syndrome following non-contact football injury: *commentary,* **254**
Diagnosis and management of chronic compartment syndromes: a review of the literature: *review,* **21**
Bartkiw TP *see* Pynn BR *et al*
Barton N. Sports injuries of the hand and wrist: *review,* **191**
Batt M *see* Kemp S and Batt M
Batt ME *see* Bailey DM *et al*
see Boyd KT and Batt ME
see Taylor AJ *et al*
Bennell K *see* Brukner P and Bennell K
Bird S *see* Woolf-May K *et al*
Blake G *see* Keay N *et al*
Blomberg HK *see* Linko PE *et al*
Bonar SF *see* Cook JL *et al*
Book reviews Cuillo JV. Shoulder Injuries in Sport: Evaluation, Treatment, and Rehabilitation, **87**
Drowatzky JN. Ethical Decision Making in Physical Activity Research, **86**
Duthie RB, Bentley G, *editors.* Mercer's orthopaedic surgery, **165**
Edwards S, *editor.* Neurological physiotherapy, **260**
Gibbon WW. Musculoskeletal Ultrasound: The Essentials, **86**
Heyward VH, Stolarcyzk LM. Applied Body Composition Assessment, **86**
Karlsson J. Antioxidants and Exercises, **354**
Micheli LJ, Jenkins M. Healthy runner's handbook, **165**
Moran AP. The psychology of concentration in sports performers, **260**
Muller E, Schwameder H, Kornexi E, Raschner C, *editors.* Science and Skiing, **354**
Nielsen A, Knill-Jones R. Usage of Sports Medicine Clinics in Scotland. Final Report to the Scottish Sports Council, **85**
Partridge S. ACSM's Exercise Management for Persons with Chronic Diseases and Disabilities, **354**
Pollard A, Murdoch D. The high altitude medicine handbook, **165**
Roche AF, Heymsfield SB, Lohman GT. Human Body Composition, **353**
Silver T. Joint and Soft Tissue Injection. Injecting with Confidence, **87**
Sotile WM. Psychosocial Interventions for Cardiopulmonary Patients, **86**
Steele M K. Sideline Help. A Guide for Immediate Evaluation and Care of Sports Injuries, **86**
Steinacker JM, Ward SA, *editors.* The Physiology and Pathophysiology of Exercise Tolerance, **354**
Troup JP, Hollander AP, Strasse D, Trappe SW, Cappaert JM, Trappe TA, *editors.* Biomechanics and medicine in swimming, **165**
Booth L. Physiotherapy report, **80**
Boreham C *see* Swan PD *et al*
Bottomley MB. Distance learning in sport and exercise medicine : *leader,* **3**
Boyd KT *see* Bailey DM *et al*
Boyd KT, Batt ME. Stress fracture of the proximal humeral epiphysis in an elite junior badminton player, **252**
Brouns F *et al.* Sports drinks and teeth: *letter,* **258**
Brown GJ *see* Wright IA *et al*
Brukner P, Bennell K. Overuse injuries: where to now?: *leader,* **2**
Brynhildsen J *see* Frisk J *et al*
Buchanan N *see* McCurdie I *et al*
Budgett R *see* Bailey DM *et al*
Budgett R *et al.* Lessons learnt at the 1996 Atlanta Olympic Games, **76**
Byrne F *see* Bailey DM *et al*
Byrnes WC *see* Swan PD *et al*

Callaghan MJ. Role of ankle taping and bracing in the athlete: *review,* **102**
Campbell IG *et al.* Physiological responses of wheelchair athletes at percentages of top speed, **36**
Capes AG *see* Hardy KJ *et al*
Carter ND *et al.* Joint position sense and rehabilitation in the anterior cruciate ligament deficient knee, **209**
Chadwick D. Not everything that jerks is epilepsy: *leader,* **173**
Clarke HM *see* Pynn BR *et al*
Cook JL *et al.* A cross sectional study of 100 athletes with jumper's knee managed conservatively and surgically, **332**
Craig-Sharp NC. The new sexual dimorphism, **82**
Cumine A *see* Gissane C *et al*
Currie CJ *see* Davies JS *et al*

Davies B *see* Bailey DM and Davies B
see Bailey DM *et al*
Davies JS *et al.* Growth hormone use by body builders: *letter,* **352**
Dawson H *see* Jelsma J *et al*
Dawson RT, Harrison MW. Use of insulin as an anabolic agent: *letter,* **259**
Day AT. Exercising medical judgement: *leader,* **266**
Dent AR, Harling CC. Developing a health surveillance strategy for professional footballers in compliance with UK health and safety legislation: *commentary,* **148**
de Rooij TPW *see* Klinkert Jr P *et al*
de Vries AC *see* Klinkert Jr P *et al*
Dewey A *see* Steinberg H *et al*
Dimitriou L *see* Doherty M and Dimitriou L
Dodd IP *see* Nunn NR *et al*
Doherty M, Dimitriou L. Comparison of lung volume in Greek swimmers, land based athletes, and sedentary controls using allometric scaling, **337**
Donelly M *see* Taunton JE *et al*
Donne B *see* Bailey DM *et al*
Duncan R *see* McCarron MO *et al*
Dyas JW *see* Nunn NR *et al*

Elliot J *see* Taunton JE *et al*
Eston RG *see* Moscrip VJ *et al*
Eston RG, Thompson M. Use of ratings of perceived exertion for predicting maximal work rate and prescribing exercise intensity in patients taking atenolol, **114**
Etherington J *see* McCurdie I *et al*
Evans N *see* Davies JS *et al*
Evans NA. Local complications of self administered anabolic steroid injections, **349**
Gym and tonic: a profile of 100 male steroid users, **54**
Evans NA, Evans RON. Playing with metal: fracture implants and contact sport, **319**
Evans R *see* Moscrip VJ *et al*
Evans RON *see* Evans NA and Evans RON
Ewen SWB *see* Waterston SW *et al*

Ferrauti A *et al.* Effects of tennis training on lipid metabolism and lipoproteins in recreational players, **322**
Fisher P *see* Vickers AJ *et al*
Fogelman I *see* Keay N *et al*
Fraser AG *see* Wright IA *et al*
Fricker PA. Management of groin pain in athletes: *review,* **97**
Frilander HM *see* Linko PE *et al*
Frisk J *et al.* Exercise and smoking habits among Swedish postmenopausal women, **217**
Fuller CW, Hawkins RD. Developing a health surveillance strategy for professional footballers in compliance with UK health and safety legislation, **148**

Gandy G *see* Bailey DM *et al*
Garraway WM *see* Lee AJ *et al*
Gillespie WJ. Evidence based medicine: the Cochrane Collaboration: *leader,* **172**
Gissane C *see* Jennings D and Gissane C
Gissane C *et al.* Injury in rugby league football: the new super league: *letter,* **85**
Goodfellow J *see* Wright IA *et al*
Grant M *see* Cook JL *et al*
Greasley A,Karet B. Towards the development of a standard test procedure for mouthguard assessment, **31**
Green JT *see* Davies JS *et al*
Greenway M *see* Greenway P and Greenway M
Greenway P, Greenway M. General practitioner knowledge of prohibited substances in sport, **129**
Griffin J. Diet and nutrition, **78**

Haddad FS *see* Mohanna P-N and Haddad FS
Haddad FS *et al.* Displaced stress fracture of the femoral neck in an active amenorrhoeic adolescent, **70**
Hall M. Sport and diabetes: *leader,* **3**
Hammar M *see* Frisk J *et al*
Harcourt PR *see* Cook JL *et al*
Hardy KJ *et al.* Drug doping in senior Australian Rules football: a survey for frequency, **126**

VOLUME 31 • AUTHOR INDEX

Aldridge J *see* Budgett R *et al*
Andrews JR *see* Bailey DM *et al*
Arif M *see* Majumdar P *et al*
Armstrong N *see* Welsman JR *et al*
Atkinson G *see* Nevill AM and Atkinson G

Bailey DM, Davies B. Physiological implications of altitude training for endurance performance at sea level: a review: *review,* **183**
Bailey DM *et al.* British Association of Sport and Medicine: Annual Congress 1996: *abstract,* **89**
Recovery from infectious mononucleosis after altitude training in an elite middle distance runner, **153**
Bann S *see* Haddad FS *et al*
Barnes CA, Soltvedt R. British Association of Sport and Medicine: Annual Congress 1996: *abstract,* **89**
Barnes M. Acute compartment syndrome following non-contact football injury: *commentary,* **254**
Diagnosis and management of chronic compartment syndromes: a review of the literature: *review,* **21**
Bartkiw TP *see* Pynn BR *et al*
Barton N. Sports injuries of the hand and wrist: *review,* **191**
Batt M *see* Kemp S and Batt M
Batt ME *see* Bailey DM *et al*
see Boyd KT and Batt ME
see Taylor AJ *et al*
Bennell K *see* Brukner P and Bennell K
Bird S *see* Woolf-May K *et al*
Blake G *see* Keay N *et al*
Blomberg HK *see* Linko PE *et al*
Bonar SF *see* Cook JL *et al*
Book reviews Cuillo JV. Shoulder Injuries in Sport: Evaluation, Treatment, and Rehabilitation, **87**
Drowatzky JN. Ethical Decision Making in Physical Activity Research, **86**
Duthie RB, Bentley G, *editors.* Mercer's orthopaedic surgery, **165**
Edwards S, *editor.* Neurological physiotherapy, **260**
Gibbon WW. Musculoskeletal Ultrasound: The Essentials, **86**
Heyward VH, Stolarcyzk LM. Applied Body Composition Assessment, **86**
Karlsson J. Antioxidants and Exercises, **354**
Micheli LJ, Jenkins M. Healthy runner's handbook, **165**
Moran AP. The psychology of concentration in sports performers, **260**
Muller E, Schwameder H, Kornexi E, Raschner C, *editors.* Science and Skiing, **354**
Nielsen A, Knill-Jones R. Usage of Sports Medicine Clinics in Scotland. Final Report to the Scottish Sports Council, **85**
Partridge S. ACSM's Exercise Management for Persons with Chronic Diseases and Disabilities, **354**
Pollard A, Murdoch D. The high altitude medicine handbook, **165**
Roche AF, Heymsfield SB, Lohman GT. Human Body Composition, **353**
Silver T. Joint and Soft Tissue Injection. Injecting with Confidence, **87**
Sotile WM. Psychosocial Interventions for Cardiopulmonary Patients, **86**
Steele M K. Sideline Help. A Guide for Immediate Evaluation and Care of Sports Injuries, **86**
Steinacker JM, Ward SA, *editors.* The Physiology and Pathophysiology of Exercise Tolerance, **354**
Troup JP, Hollander AP, Strasse D, Trappe SW, Cappaert JM, Trappe TA, *editors.* Biomechanics and medicine in swimming, **165**
Booth L. Physiotherapy report, **80**
Boreham C *see* Swan PD *et al*
Bottomley MB. Distance learning in sport and exercise medicine : *leader,* **3**
Boyd KT *see* Bailey DM *et al*
Boyd KT, Batt ME. Stress fracture of the proximal humeral epiphysis in an elite junior badminton player, **252**
Brouns F *et al.* Sports drinks and teeth: *letter,* **258**
Brown GJ *see* Wright IA *et al*
Brukner P, Bennell K. Overuse injuries: where to now?: *leader,* **2**
Brynhildsen J *see* Frisk J *et al*
Buchanan N *see* McCurdie I *et al*
Budgett R *see* Bailey DM *et al*
Budgett R *et al.* Lessons learnt at the 1996 Atlanta Olympic Games, **76**
Byrne F *see* Bailey DM *et al*
Byrnes WC *see* Swan PD *et al*

Callaghan MJ. Role of ankle taping and bracing in the athlete: *review,* **102**
Campbell IG *et al.* Physiological responses of wheelchair athletes at percentages of top speed, **36**
Capes AG *see* Hardy KJ *et al*
Carter ND *et al.* Joint position sense and rehabilitation in the anterior cruciate ligament deficient knee, **209**
Chadwick D. Not everything that jerks is epilepsy: *leader,* **173**
Clarke HM *see* Pynn BR *et al*
Cook JL *et al.* A cross sectional study of 100 athletes with jumper's knee managed conservatively and surgically, **332**
Craig-Sharp NC. The new sexual dimorphism, **82**
Cumine A *see* Gissane C *et al*
Currie CJ *see* Davies JS *et al*

Davies B *see* Bailey DM and Davies B
see Bailey DM *et al*
Davies JS *et al.* Growth hormone use by body builders: *letter,* **352**
Dawson H *see* Jelsma J *et al*
Dawson RT, Harrison MW. Use of insulin as an anabolic agent: *letter,* **259**
Day AT. Exercising medical judgement: *leader,* **266**
Dent AR, Harling CC. Developing a health surveillance strategy for professional footballers in compliance with UK health and safety legislation: *commentary,* **148**
de Rooij TPW *see* Klinkert Jr P *et al*
de Vries AC *see* Klinkert Jr P *et al*
Dewey A *see* Steinberg H *et al*
Dimitriou L *see* Doherty M and Dimitriou L
Dodd IP *see* Nunn NR *et al*
Doherty M, Dimitriou L. Comparison of lung volume in Greek swimmers, land based athletes, and sedentary controls using allometric scaling, **337**
Donelly M *see* Taunton JE *et al*
Donne B *see* Bailey DM *et al*
Duncan R *see* McCarron MO *et al*
Dyas JW *see* Nunn NR *et al*

Elliot J *see* Taunton JE *et al*
Eston RG *see* Moscrip VJ *et al*
Eston RG, Thompson M. Use of ratings of perceived exertion for predicting maximal work rate and prescribing exercise intensity in patients taking atenolol, **114**
Etherington J *see* McCurdie I *et al*
Evans N *see* Davies JS *et al*
Evans NA. Local complications of self administered anabolic steroid injections, **349**
Gym and tonic: a profile of 100 male steroid users, **54**
Evans NA, Evans RON. Playing with metal: fracture implants and contact sport, **319**
Evans R *see* Moscrip VJ *et al*
Evans RON *see* Evans NA and Evans RON
Ewen SWB *see* Waterston SW *et al*

Ferrauti A *et al.* Effects of tennis training on lipid metabolism and lipoproteins in recreational players, **322**
Fisher P *see* Vickers AJ *et al*
Fogelman I *see* Keay N *et al*
Fraser AG *see* Wright IA *et al*
Fricker PA. Management of groin pain in athletes: *review,* **97**
Frilander HM *see* Linko PE *et al*
Frisk J *et al.* Exercise and smoking habits among Swedish postmenopausal women, **217**
Fuller CW, Hawkins RD. Developing a health surveillance strategy for professional footballers in compliance with UK health and safety legislation, **148**

Gandy G *see* Bailey DM *et al*
Garraway WM *see* Lee AJ *et al*
Gillespie WJ. Evidence based medicine: the Cochrane Collaboration: *leader,* **172**
Gissane C *see* Jennings D and Gissane C
Gissane C *et al.* Injury in rugby league football: the new super league: *letter,* **85**
Goodfellow J *see* Wright IA *et al*
Grant M *see* Cook JL *et al*
Greasley A,Karet B. Towards the development of a standard test procedure for mouthguard assessment, **31**
Green JT *see* Davies JS *et al*
Greenway M *see* Greenway P and Greenway M
Greenway P, Greenway M. General practitioner knowledge of prohibited substances in sport, **129**
Griffin J. Diet and nutrition, **78**

Haddad FS *see* Mohanna P-N and Haddad FS
Haddad FS *et al.* Displaced stress fracture of the femoral neck in an active amenorrhoeic adolescent, **70**
Hall M. Sport and diabetes: *leader,* **3**
Hammar M *see* Frisk J *et al*
Harcourt PR *see* Cook JL *et al*
Hardy KJ *et al.* Drug doping in senior Australian Rules football: a survey for frequency, **126**

Hardy L *see* Terry P *et al*
Harling CC *see* Dent AR and Harling CC
Harries M *see* Budgett R *et al*
Harries M. The United Kingdom Diploma in Sport and Exercise Medicine: *leader,* **265**
Harrison MW *see* Dawson RT and Harrison MW
Hawkins RD *see* Fuller CW and Hawkins RD
Haymes EM *see* Swan PD *et al*
Head A *et al.* Exercise metabolism in healthy volunteers taking celiprolol, atenolol, and placebo, **120**
Healey M-L. Growth hormone and sport: abuse, potential benefits, and difficulties in detection: *leader,* **267**
Heyward VH *see* Mermier CM *et al*
Hill RA *see* Haddad FS *et al*
Hopper DM. Somatotype in high performance female netball players may influence player position and the incidence of lower limb and back injuries, **197**

Inagaki H, Inoue G. Stress fracture of the scaphoid combined with the distal radial epiphysiolysis, **256**
Inoue G *see* Inagaki H and Inoue G
Irshad F *see* O'Farrell DA *et al*
Isakov E, Mizrahi J. Is balance impaired by recurrent sprained ankle?, **65**
Ivarsson T *see* Frisk J *et al*

Jaques R *see* Budgett R *et al*
Jelsma J *et al.* Provision of physiotherapy services at the sixth All Africa Games, **246**
Jenkinson TR *see* Carter ND *et al*
Jennings D *see* Gissane C *et al*
Jennings D, Gissane C. Turf-toe: super league toe: *letter,* **164**
Jennings DE *see* Budgett R *et al*
Jones DHA *see* Haddad FS *et al*
Jones DW *see* Carter ND *et al*
Jones G *see* Terry P *et al*
Jorfeldt L *see* Tropp H *et al*

Karet B *see* Greasley A and Karet B
Karunakara RG *see* Pincivero DM *et al*
Keay N *et al.* Bone mineral density in professional female dancers, **143**
Kemp S, Batt M. Exercise induced leg pain: *letter,* **164**
Kendall MJ *see* Head A *et al*
Kennedy A. Exercise and heart disease: cardiac findings in fatal cycle accidents, **328**
Khan KM *see* Cook JL *et al*
Khanna GL *see* Majumdar P *et al*
King JB *see* Padhiar N and King JB
Klinkert Jr P *et al.* Quadratus femoris tendinitis as a cause of groin pain, **348**
Knill-Jones R. Sports injury clinics: *leader,* **95**
Konradsen L *see* Renström PAFH and Konradsen L
Kremer J *see* Steinberg H *et al*

Lakomy HKA *see* Campbell IG *et al*
Lane IF *see* Wright IA *et al*
Laure P. Doping in sport : doctors are providing drugs: *letter,* **258**
Leboutillier N *see* Steinberg H *et al*
Lee AJ *et al.* Influence of players' physique on rugby football injuries, **135**
Leiper JB *see* Maughan RJ *et al*
Lephart SM *see* Pincivero DM *et al*
Lewith GT *see* Vickers AJ *et al*
Linko PE *et al.* Orienteering competition injuries: injuries incurred in the Finnish Jukola and Venla relay competitions, **205**
Lowery S *see* Steinberg H *et al*

MacAuley D. Editor's audit report for 1996: *editorial,* **92**
Family doctors: players or spectators in the future?: *editorial,* **91**
Return to Athens, the odyssey: *leader,* **263**
Setting standards, chasing goals, and measuring performance: *editorial,* **171**
Will money corrupt sports medicine? : *editorial,* **1**
McCarron MO *et al.* Stroke without dissection from a neck holding manoeuvre in martial arts, **346**
McConnell AA *see* Mackay G and McConnell AA
McCurdie I *et al.* Sternal fracture in a female army officer cadet: *letter,* **164**
McDonald KN *see* Meir RA *et al*
McDowell N *et al.* Factors that influence practice nurses to promote physical activity, **308**
McElwain JP *see* O'Farrell DA *et al*
McGlone RG *see* Sinha A *et al*
Mackay G, McConnell AA. Health surveillance strategy for professional footballers: *letter,* **353**
McKenna J *see* McDowell N *et al*
McKenna WJ *see* Sharma S *et al*
MacLeod D *see* O'Carroll RE and MacLeod D
McMinn SM *see* Mermier CM *et al*
McNeil JJ *see* Hardy KJ *et al*
McQuoid N. Diabetes: going downhill fast!, **321**
Madzivire D *see* Jelsma J *et al*
Maffulli N *see* Waterston SW *et al*
Majumdar P *et al.* Physiological analysis to quantify training load in badminton, **342**
Makepeace J. Sports Medicine "Webliographies" , **351**
Malik V *see* Majumdar P *et al*
Mandal M *see* Majumdar P *et al*
Martin AD *see* Taunton JE *et al*
Maughan R. Heat acclimatisation and rehydration strategy, **77**
Maughan RJ. Energy and macronutrient intakes of professional football (soccer) players, **45**
Maughan RJ *et al.* Factors influencing the restoration of fluid and electrolyte balance after exercise in the heat: *review,* **175**
Maxwell S *see* Head A *et al*
Maybury MC, Waterfield J. An investigation into the relation between step height and ground reaction forces in step exercise: a pilot study, **109**
Meir RA *et al.* Injury consequences from participation in professional rugby league: a preliminary investigation, **132**
Mermier CM *et al.* Energy expenditure and physiological responses during indoor rock climbing, **224**
Milosevic A *see* Brouns F *et al*
see Murray R and Milosevic A
Sports drinks hazard to teeth, **28**
Mizrahi J *see* Isakov E and Mizrahi J
Mohanna P-N, Haddad FS. Acute compartment syndrome following non-contact football injury, **254**
Montgomery K *see* Sinha A *et al*
Morgan CL *see* Davies JS *et al*
Moscrip VJ *et al.* Ultrasonographic assessment of adipose tissue volume: *letter,* **84**
Moss T *see* Steinberg H *et al*
Muntjewerf L *see* Brouns F *et al*
Murray R, Milosevic A. Sports drinks and teeth: *letter,* **352**
Myers JL *see* Lee AJ *et al*

Naylor P-J *see* McDowell N *et al*
Nevill AM, Atkinson G. Assessing agreement between measurements recorded on a ratio scale in sports medicine and sports science, **314**
Nunn NR *et al.* Repetitive strain injury to the foot in elite women kendoka, **68**

O'Carroll RE, MacLeod D. Moderate altitude has no effect on choice reaction time in international rugby players, **151**
O'Farrell DA *et al.* Major pelvic injuries in equestrian sports, **249**
Owen A *see* Woolf-May K *et al*

Padhiar N, King JB. Exercise induced leg pain: chronic compartment syndrome. Is the increase in intra-compartment pressure exercise specific?: *letter,* **353**
Parry JL *see* O'Farrell DA *et al*
Patterson J *see* McCarron MO *et al*
Persson P *see* Frisk J *et al*
Phillips LH *see* Gissane C *et al*
Pincivero DM *et al.* Effects of rest interval on isokinetic strength and functional performance after short term high intensity training, **229**
Pollard AJ. High altitude research on Kangchenjunga, 1998, **83**
Porte RJ *see* Klinkert Jr P *et al*
Pugh ND *see* Wright IA *et al*
Pynn BR *et al.* Ring avulsion injuries and the basketball player, **72**

Read AP. Cloning for gold : *leader,* **174**
Olympic freak show?, **331**
Renström PAFH, Konradsen L. Ankle ligament injuries: *review,* **11**
Rhodes EC *see* Taunton JE *et al*
Robbins S, Waked E. Hazard of deceptive advertising of athletic footwear, **299**
Robergs RA *see* Mermier CM *et al*
Roberts N *see* Walton JM *et al*
Rochester P. Somatotype in high performance female netball players may influence player position and the incidence of lower limb and back injuries: *commentary,* **197**
Rodgers S *see* Terry P *et al*
Russell R *see* Meir RA *et al*
Ryan J, Whitten M. Bilateral locked posterior shoulder dislocation in a footballer, **74**
Ryde D. Extract from "The effects of strenuous exertion on women"—*Practitioner, 1956* , **163**

Sachdeva S *see* Majumdar P *et al*
Samuelsson K *see* Tropp H *et al*
Satumba C *see* Jelsma J *et al*
Sharma S *et al.* Sudden death from cardiovascular disease in young athletes: fact or fiction?: *review,* **269**
Shephard RJ. Assessing physiological responses to training in young children, **159**
What is the optimal type of physical activity to enhance health?: *review,* **277**
Shinton R *see* McCarron MO *et al*
Shirreffs SM *see* Maughan RJ *et al*

Sinha A *et al.* Study of aeroball injuries, **200**
Smith C *see* Vickers AJ *et al*
Smith G *see* Jelsma J *et al*
Soltvedt R *see* Barnes CA and Soltvedt R
Steinberg H *et al.* Exercise enhances creativity independently of mood, **240**
Strüder HK *see* Ferrauti A *et al*
Swaine IL. Time course of changes in bilateral arm power of swimmers during recovery from injury using a swim bench, **213**
Swan PD *et al.* Energy expenditure estimates of the Caltrac accelerometer for running, race walking, and stepping, **235**
Sykes EA *see* Steinberg H *et al*

Taunton JE *et al.* Exercise for the older woman: choosing the right prescription: *review,* **5**
Taylor AJ *et al.* Traumatic occlusion of the external iliac artery in a racing cyclist: a cause of ill defined leg pain, **155**
Tennant WG *see* Taylor AJ *et al*
Terry P *et al.* Psychological support, **79**
Thomas P. General practitioner knowledge of prohibited substances in sport: *letter,* **259**
Thompson M *see* Eston RG and Thompson M
Thorns BS *see* O'Farrell DA *et al*
Toghill PJ. A hundred years ago, **268**
Torode AS *see* Carter ND *et al*
Tropp H *et al.* Power output for wheelchair driving on a treadmill compared with arm crank ergometry, **41**
Tunstall-Pedoe D. β Adrenergic blocking drugs and the Borg rating scale of perceived exertion: *leader,* **93**

van Mechelen W. A physically active lifestyle—public health's best buy?: *leader,* **264**
Vickers AJ *et al.* Homoeopathy for delayed onset muscle soreness: a randomised double blind placebo controlled trial, **304**
Victorian Institute of Sport Tendon Study Group *see* Cook JL *et al*

Waked E *see* Robbins S and Waked E
Walby AL. George Nightingale, **161**
Wallace WA *see* Taylor AJ *et al*
Walton JM *see* Moscrip VJ *et al*
Walton JM *et al.* Measurement of the quadriceps femoris muscle using magnetic resonance and ultrasound imaging, **59**
Waterfield J *see* Maybury MC and Waterfield J
Waterston SW *et al.* Subcutaneous rupture of the Achilles tendon: basic science and some aspects of clinical practice: *review,* **285**
Webborn ADJ. General practitioner knowledge of prohibited substances in sport: *letter,* **259**
Weber K *see* Ferrauti A *et al*
Welsman JR *et al.* Responses of young girls to two modes of aerobic training, **139**
Westcott R. Mountain running , **162**
White J *see* Gissane C *et al*
Whitehouse GH *see* Walton JM *et al*
Whitten M *see* Ryan J and Whitten M
Whyte G *see* Sharma S *et al*
Williams C *see* Campbell IG *et al*
Williams JPR. Rugby, injury, and the Lions: *leader,* **95**
Wilson D *see* Carter ND *et al*
Withers S *see* Welsman JR *et al*
Wolski LA *see* Taunton JE *et al*
Wood AM *see* Wright IA *et al*
Woolf-May K *et al.* Effects of an 18 week walking programme on cardiac function in previously sedentary or relatively inactive adults, **48**
Wright IA *et al.* Dynamic obstruction of the external iliac artery in endurance athletes and its relationship to endothelial function: the case of a long distance runner, **156**
Wyllie SE *see* Vickers AJ *et al*

Young DA *see* Cook JL *et al*

VOLUME 31 • SUBJECT INDEX

acclimatisation, Diet and nutrition, **78**
Heat acclimatisation and rehydration strategy, **77**
acetabulum, Major pelvic injuries in equestrian sports, **249**
Achilles tendon, Subcutaneous rupture of the Achilles tendon: basic science and some aspects of clinical practice: *review,* **285**
acute injuries, Orienteering competition injuries: injuries incurred in the Finnish Jukola and Venla relay competitions, **205**
adipose tissue, Ultrasonographic assessment of adipose tissue volume: *letter,* **84**
advertising, Hazard of deceptive advertising of athletic footwear, **299**
aeroball, Study of aeroball injuries, **200**
aerobic fitness, Assessing physiological responses to training in young children, **159**
Responses of young girls to two modes of aerobic training, **139**
What is the optimal type of physical activity to enhance health?: *review,* **277**
allometric modelling, Comparison of lung volume in Greek swimmers, land based athletes, and sedentary controls using allometric scaling, **337**
alpha blockade, Exercise metabolism in healthy volunteers taking celiprolol, atenolol, and placebo, **120**
altitude, Moderate altitude has no effect on choice reaction time in international rugby players, **151**
altitude training, British Association of Sport and Medicine: Annual Congress 1996: *abstract,* **89**
Physiological implications of altitude training for endurance performance at sea level: a review: *review,* **183**
Recovery from infectious mononucleosis after altitude training in an elite middle distance runner, **153**
amenorrhoea, Bone mineral density in professional female dancers, **143**
amenorrhoeic adolescent, Displaced stress fracture of the femoral neck in an active amenorrhoeic adolescent, **70**
anabolic steroids, Local complications of self administered anabolic steroid injections, **349**
General practitioner knowledge of prohibited substances in sport, **129**
Growth hormone use by body builders: *letter,* **352**
Gym and tonic: a profile of 100 male steroid users, **54**
ankle injury, Ankle ligament injuries: *review,* **11**
ankle sprain, Is balance impaired by recurrent sprained ankle?, **65**
Role of ankle taping and bracing in the athlete: *review,* **102**
ankle supports, Study of aeroball injuries, **200**
anterior cruciate ligament, Correction: Joint position sense and rehabilitation in the anterior cruciate ligament deficient knee, **356**
Joint position sense and rehabilitation in the anterior cruciate ligament deficient knee, **209**
arm crank, Power output for wheelchair driving on a treadmill compared with arm crank ergometry, **41**
atenolol, Exercise metabolism in healthy volunteers taking celiprolol, atenolol, and placebo, **120**
Use of ratings of perceived exertion for predicting maximal work rate and prescribing exercise intensity in patients taking atenolol, **114**
athlete, Sudden death from cardiovascular disease in young athletes: fact or fiction?: *review,* **269**
athletic footwear, Hazard of deceptive advertising of athletic footwear, **299**
audit report, Editor's audit report for 1996: *editorial,* **92**

badminton, Physiological analysis to quantify training load in badminton, **342**
Stress fracture of the proximal humeral epiphysis in an elite junior badminton player, **252**
Stress fracture of the scaphoid combined with the distal radial epiphysiolysis, **256**
banned drugs, General practitioner knowledge of prohibited substances in sport, **129**
General practitioner knowledge of prohibited substances in sport: *letter,* **259**
basketball injury, Ring avulsion injuries and the basketball player, **72**
behaviour change, Factors that influence practice nurses to promote physical activity, **308**
beta blockers, β Adrenergic blocking drugs and the Borg rating scale of perceived exertion: *leader,* **93**
Use of ratings of perceived exertion for predicting maximal work rate and prescribing exercise intensity in patients taking atenolol, **114**
blood lipids, Responses of young girls to two modes of aerobic training, **139**
bone mineral density, Bone mineral density in professional female dancers, **143**
Borg rating scale, β Adrenergic blocking drugs and the Borg rating scale of perceived exertion: *leader,* **93**
braces, Role of ankle taping and bracing in the athlete: *review,* **102**

cardiac hypertrophy, Exercise and heart disease: cardiac findings in fatal cycle accidents, **328**
cardiovascular risk factors, Effects of tennis training on lipid metabolism and lipoproteins in recreational players, **322**
What is the optimal type of physical activity to enhance health?: *review,* **277**
caries, Sports drinks hazard to teeth, **28**
Cavalieri method, Measurement of the quadriceps femoris muscle using magnetic resonance and ultrasound imaging, **59**
celiprolol, Exercise metabolism in healthy volunteers taking celiprolol, atenolol, and placebo, **120**
children, Assessing physiological responses to training in young children, **159**
Responses of young girls to two modes of aerobic training, **139**
chronic compartment syndrome, Exercise induced leg pain: chronic compartment syndrome. Is the increase in intra-compartment pressure exercise specific?: *letter,* **353**
Exercise induced leg pain: *letter,* **164**
cloning, Cloning for gold: *leader,* **174**
Cochrane Collaboration, Evidence based medicine: the Cochrane Collaboration: *leader,* **172**
compartment syndrome, Acute compartment syndrome following non-contact football injury, **254**
Diagnosis and management of chronic compartment syndromes: a review of the literature: *review,* **21**
competition, Somatotype in high performance female netball players may influence player position and the incidence of lower limb and back injuries, **197**
complications, Local complications of self administered anabolic steroid injections, **349**
conjoint tendon, Management of groin pain in athletes: *review,* **97**
contact sport, Playing with metal: fracture implants and contact sport, **319**
convulsions, Not everything that jerks is epilepsy: *leader,* **173**
coronary heart disease, Exercise and heart disease: cardiac findings in fatal cycle accidents, **328**
creatine phosphokinase, Physiological analysis to quantify training load in badminton, **342**
creative thinking, Exercise enhances creativity independently of mood, **240**
Cryocuff, Provision of physiotherapy services at the sixth All Africa Games, **246**
cycling, Exercise and heart disease: cardiac findings in fatal cycle accidents, **328**
Traumatic occlusion of the external iliac artery in a racing cyclist: a cause of ill defined leg pain, **155**

dance training, Bone mineral density in professional female dancers, **143**
dehydration, Factors influencing the restoration of fluid and electrolyte balance after exercise in the heat: *review,* **175**
dental erosion, Sports drinks and teeth: *letter,* **352**
Sports drinks hazard to teeth, **28**
diabetes, Sport and diabetes: *leader,* **3**
Diabetes: going downhill fast!, **321**
diabetes mellitus, Dynamic obstruction of the external iliac artery in endurance athletes and its relationship to endothelial function: the case of a long distance runner, **156**
diet, Energy and macronutrient intakes of professional football (soccer) players, **45**
dimensionless ratio, Assessing agreement between measurements recorded on a ratio scale in sports medicine and sports science, **314**
distal radial epiphysis, Stress fracture of the scaphoid combined with the distal radial epiphysiolysis, **256**
distance learning, Distance learning in sport and exercise medicine : *leader,* **3**
drug doping, Doping in sport : doctors are providing drugs: *letter,* **258**
Drug doping in senior Australian Rules football: a survey for frequency, **126**
General practitioner knowledge of prohibited substances in sport, **129**
drug regimens, Gym and tonic: a profile of 100 male steroid users, **54**
drugs, Use of insulin as an anabolic agent: *letter,* **259**
dynamometer, British Association of Sport and Medicine: Annual Congress 1996: *abstract,* **89**

eccentric contraction, An investigation into the relation between step height and ground reaction forces in step exercise: a pilot study, **109**
education, Distance learning in sport and exercise medicine : *leader,* **3**
The United Kingdom Diploma in Sport and Exercise Medicine: *leader,* **265**
elderly women, Exercise for the older woman: choosing the right prescription: *review,* **5**
emotional problems, Gymnastics: changing for the better?: *leader,* **94**

endarterectomy, Traumatic occlusion of the external iliac artery in a racing cyclist: a cause of ill defined leg pain, **155**
endurance, Physiological implications of altitude training for endurance performance at sea level: a review: *review,* **183**
endurance exercise, Physiological responses of wheelchair athletes at percentages of top speed, **36**
energy cost, Energy expenditure and physiological responses during indoor rock climbing, **224**
Energy expenditure estimates of the Caltrac accelerometer for running, race walking, and stepping, **235**
epilepsy, Not everything that jerks is epilepsy: *leader,* **173**
exercise, Energy expenditure estimates of the Caltrac accelerometer for running, race walking, and stepping, **235**
Exercise and heart disease: cardiac findings in fatal cycle accidents, **328**
Exercise for the older woman: choosing the right prescription: *review,* **5**
Exercise induced leg pain: *letter,* **164**
Exercise metabolism in healthy volunteers taking celiprolol, atenolol, and placebo, **120**
Extract from "The effects of strenuous exertion on women"—*Practitioner, 1956* , **163**
Homoeopathy for delayed onset muscle soreness: a randomised double blind placebo controlled trial, **304**
exercise habits, Exercise and smoking habits among Swedish postmenopausal women, **217**
exercise intensity, Use of ratings of perceived exertion for predicting maximal work rate and prescribing exercise intensity in patients taking atenolol, **114**
exercise prescription, What is the optimal type of physical activity to enhance health?: *review,* **277**
exertion, Use of ratings of perceived exertion for predicting maximal work rate and prescribing exercise intensity in patients taking atenolol, **114**
external iliac artery, Dynamic obstruction of the external iliac artery in endurance athletes and its relationship to endothelial function: the case of a long distance runner, **156**
Traumatic occlusion of the external iliac artery in a racing cyclist: a cause of ill defined leg pain, **155**

fat oxidation, Exercise metabolism in healthy volunteers taking celiprolol, atenolol, and placebo, **120**
fatigue, Effects of rest interval on isokinetic strength and functional performance after short term high intensity training, **229**
female gymnasts, Gymnastics: changing for the better?: *leader,* **94**
femoral neck, Displaced stress fracture of the femoral neck in an active amenorrhoeic adolescent, **70**
finger, Ring avulsion injuries and the basketball player, **72**
fitness, Effects of an 18 week walking programme on cardiac function in previously sedentary or relatively inactive adults, **48**
fluid and electrolyte balance, Factors influencing the restoration of fluid and electrolyte balance after exercise in the heat: *review,* **175**
foot pain, Repetitive strain injury to the foot in elite women kendoka, **68**
football, Bilateral locked posterior shoulder dislocation in a footballer, **74**
Cor, what a team!, **35**
Developing a health surveillance strategy for professional footballers in compliance with UK health and safety legislation, **148**
Drug doping in senior Australian Rules football: a survey for frequency, **126**
Energy and macronutrient intakes of professional football (soccer) players, **45**
Health surveillance strategy for professional footballers: *letter,* **353**
football injury, Acute compartment syndrome following non-contact football injury, **254**
fracture, Sports injuries of the hand and wrist: *review,* **191**
fracture implants, Playing with metal: fracture implants and contact sport, **319**

gastrocnemius, Acute compartment syndrome following non-contact football injury, **254**
general practice, Factors that influence practice nurses to promote physical activity, **308**
general practitioners, General practitioner knowledge of prohibited substances in sport, **129**
General practitioner knowledge of prohibited substances in sport: *letter,* **259**
groin pain, Management of groin pain in athletes: *review,* **97**
Quadratus femoris tendinitis as a cause of groin pain, **348**
ground reaction forces, An investigation into the relation between step height and ground reaction forces in step exercise: a pilot study, **109**
growth hormone, Growth hormone and sport: abuse, potential benefits, and difficulties in detection: *leader,* **267**

hamstrings, Effects of rest interval on isokinetic strength and functional performance after short term high intensity training, **229**
hand, Sports injuries of the hand and wrist: *review,* **191**
health promotion, Factors that influence practice nurses to promote physical activity, **308**
health surveillance, Developing a health surveillance strategy for professional footballers in compliance with UK health and safety legislation, **148**
Health surveillance strategy for professional footballers: *letter,* **353**
heart, Effects of an 18 week walking programme on cardiac function in previously sedentary or relatively inactive adults, **48**
heart rate, Energy expenditure and physiological responses during indoor rock climbing, **224**
heteroscedastic errors, Assessing agreement between measurements recorded on a ratio scale in sports medicine and sports science, **314**
high altitude medicine, High altitude research on Kangchenjunga, 1998
homoeopathy, Homoeopathy for delayed onset muscle soreness: a randomised double blind placebo controlled trial, **304**
horse riding, Major pelvic injuries in equestrian sports, **249**
hot flushes, Exercise and smoking habits among Swedish postmenopausal women, **217**
hypertrophic cardiomyopathy, Sudden death from cardiovascular disease in young athletes: fact or fiction?: *review,* **269**
hypoxia, Physiological implications of altitude training for endurance performance at sea level: a review: *review,* **183**

impact, Hazard of deceptive advertising of athletic footwear, **299**
impact testing, Towards the development of a standard test procedure for mouthguard assessment, **31**
inguinal hernia, Management of groin pain in athletes: *review,* **97**
injections, Local complications of self administered anabolic steroid injections, **349**
injuries, Influence of players' physique on rugby football injuries, **135**
Injury consequences from participation in professional rugby league: a preliminary investigation, **132**
injury, Time course of changes in bilateral arm power of swimmers during recovery from injury using a swim bench, **213**
injury incidence, Orienteering competition injuries: injuries incurred in the Finnish Jukola and Venla relay competitions, **205**
insulin, Use of insulin as an anabolic agent: *letter,* **259**
intensive training, Comparison of lung volume in Greek swimmers, land based athletes, and sedentary controls using allometric scaling, **337**

joint position sense, Correction: Joint position sense and rehabilitation in the anterior cruciate ligament deficient knee, **356**
Joint position sense and rehabilitation in the anterior cruciate ligament deficient knee, **209**
jumper's knee, A cross sectional study of 100 athletes with jumper's knee managed conservatively and surgically, **332**

kendo, Repetitive strain injury to the foot in elite women kendoka, **68**
knee, Correction: Joint position sense and rehabilitation in the anterior cruciate ligament deficient knee, **356**
Joint position sense and rehabilitation in the anterior cruciate ligament deficient knee, **209**

lactate, Physiological analysis to quantify training load in badminton, **342**
leg pain, Exercise induced leg pain: chronic compartment syndrome. Is the increase in intra-compartment pressure exercise specific?: *letter,* **353**
Exercise induced leg pain: *letter,* **164**
legislation, Developing a health surveillance strategy for professional footballers in compliance with UK health and safety legislation, **148**
Health surveillance strategy for professional footballers: *letter,* **353**
lifestyle, A physically active lifestyle—public health's best buy?: *leader,* **264**
lifestyle activity, What is the optimal type of physical activity to enhance health?: *review,* **277**
lipid profile, Effects of tennis training on lipid metabolism and lipoproteins in recreational players, **322**
lipolysis, Effects of tennis training on lipid metabolism and lipoproteins in recreational players, **322**
litigation, Exercising medical judgement: *leader,* **266**
long distance runner, Dynamic obstruction of the external iliac artery in endurance athletes and its relationship to endothelial function: the case of a long distance runner, **156**

magnetic resonance imaging, Measurement of the quadriceps femoris muscle using magnetic resonance and ultrasound imaging, **59**
martial arts, Stroke without dissection from a neck holding manoeuvre in martial arts, **346**
menarche, Bone mineral density in professional female dancers, **143**
menopause, Exercise and smoking habits among Swedish postmenopausal women, **217**
metatarsophalangeal joint, Turf-toe: super league toe: *letter,* **164**
moments, An investigation into the relation between step height and ground reaction forces in step exercise: a pilot study, **109**
mononucleosis, Recovery from infectious mononucleosis after altitude training in an elite middle distance runner, **153**
mood enhancement, Exercise enhances creativity independently of mood, **240**

mountain running, Mountain running , **162**
mouthguard, Towards the development of a standard test procedure for mouthguard assessment, **31**
multisport events, Provision of physiotherapy services at the sixth All Africa Games, **246**
muscle, Measurement of the quadriceps femoris muscle using magnetic resonance and ultrasound imaging, **59**
muscle soreness, Homoeopathy for delayed onset muscle soreness: a randomised double blind placebo controlled trial, **304**

netball, Somatotype in high performance female netball players may influence player position and the incidence of lower limb and back injuries, **197**
normoxia, Physiological implications of altitude training for endurance performance at sea level: a review: *review,* **183**
nutrition, Diet and nutrition, **78**
Energy and macronutrient intakes of professional football (soccer) players, **45**

Obituary, George Nightingale, **161**
Olympic Games, Diet and nutrition, **78**
Heat acclimatisation and rehydration strategy, **77**
Lessons learnt at the 1996 Atlanta Olympic Games, **76**
Physiotherapy report, **80**
Psychological support, **79**
Return to Athens, the odyssey: *editorial,* **263**
orienteering, Orienteering competition injuries: injuries incurred in the Finnish Jukola and Venla relay competitions, **205**
orthoses, Role of ankle taping and bracing in the athlete: *review,* **102**
osteitis pubis, Management of groin pain in athletes: *review,* **97**
overuse injury, Overuse injuries: where to now?: *leader,* **2**
oxygen consumption, Energy expenditure and physiological responses during indoor rock climbing, **224**

partial pressure, Physiological implications of altitude training for endurance performance at sea level: a review: *review,* **183**
patellar tendon, A cross sectional study of 100 athletes with jumper's knee managed conservatively and surgically, **332**
peak torque, Effects of rest interval on isokinetic strength and functional performance after short term high intensity training, **229**
pelvis, Major pelvic injuries in equestrian sports, **249**
performance, Moderate altitude has no effect on choice reaction time in international rugby players, **151**
physical exercise, Exercise enhances creativity independently of mood, **240**
Factors that influence practice nurses to promote physical activity, **308**
physical function, Exercise for the older woman: choosing the right prescription: *review,* **5**
physical problems, Gymnastics: changing for the better?: *leader,* **94**
physical signs, Gym and tonic: a profile of 100 male steroid users, **54**
physiological responses, Assessing physiological responses to training in young children, **159**
physiotherapy, Physiotherapy report, **80**
Provision of physiotherapy services at the sixth All Africa Games, **246**
physique, Influence of players' physique on rugby football injuries, **135**
plantar fasciitis, Repetitive strain injury to the foot in elite women kendoka, **68**
playing positions, Somatotype in high performance female netball players may influence player position and the incidence of lower limb and back injuries, **197**
polypharmacy, Gym and tonic: a profile of 100 male steroid users, **54**
posterior dislocation, Bilateral locked posterior shoulder dislocation in a footballer, **74**
postural sway, Is balance impaired by recurrent sprained ankle?, **65**
practice nurses, Factors that influence practice nurses to promote physical activity, **308**
product safety, Hazard of deceptive advertising of athletic footwear, **299**
professional sport, Will money corrupt sports medicine? : *editorial,* **1**
proprioception, Is balance impaired by recurrent sprained ankle?, **65**
proximal humeral epiphysis, Stress fracture of the proximal humeral epiphysis in an elite junior badminton player, **252**
psychology, Psychological support, **79**
public health, A physically active lifestyle—public health's best buy?: *leader,* **264**

quadratus femoris tendinitis, Quadratus femoris tendinitis as a cause of groin pain, **348**
quadriceps, Effects of rest interval on isokinetic strength and functional performance after short term high intensity training, **229**

randomised controlled trial, Homoeopathy for delayed onset muscle soreness: a randomised double blind placebo controlled trial, **304**
ratio limits of agreement, Assessing agreement between measurements recorded on a ratio scale in sports medicine and sports science, **314**
recovery, Effects of rest interval on isokinetic strength and functional performance after short term high intensity training, **229**
rehabilitation, Correction: Joint position sense and rehabilitation in the anterior cruciate ligament deficient knee, **356**
Joint position sense and rehabilitation in the anterior cruciate ligament deficient knee, **209**
respiratory muscle strength, Comparison of lung volume in Greek swimmers, land based athletes, and sedentary controls using allometric scaling, **337**
retirement, Injury consequences from participation in professional rugby league: a preliminary investigation, **132**
ring avulsion, Ring avulsion injuries and the basketball player, **72**
rock climbing, Energy expenditure and physiological responses during indoor rock climbing, **224**
rugby, Influence of players' physique on rugby football injuries, **135**
Injury consequences from participation in professional rugby league: a preliminary investigation, **132**
Injury in rugby league football: the new super league: *letter,* **85**
Moderate altitude has no effect on choice reaction time in international rugby players, **151**
Rugby, injury, and the Lions: *leader,* **95**
rugby union, Playing with metal: fracture implants and contact sport, **319**
runners, Recovery from infectious mononucleosis after altitude training in an elite middle distance runner, **153**
running, Hazard of deceptive advertising of athletic footwear, **299**

safety, Ring avulsion injuries and the basketball player, **72**
scaphoid, Stress fracture of the scaphoid combined with the distal radial epiphysiolysis, **256**
shoulder, Bilateral locked posterior shoulder dislocation in a footballer, **74**
simulated jaw, Towards the development of a standard test procedure for mouthguard assessment, **31**
single photon emission computed tomography, Stroke without dissection from a neck holding manoeuvre in martial arts, **346**
smoking, Exercise and smoking habits among Swedish postmenopausal women, **217**
soccer, Energy and macronutrient intakes of professional football (soccer) players, **45**
somatotype, Influence of players' physique on rugby football injuries, **135**
Somatotype in high performance female netball players may influence player position and the incidence of lower limb and back injuries, **197**
sports drinks, Factors influencing the restoration of fluid and electrolyte balance after exercise in the heat: *review,* **175**
Sports drinks and teeth: *letter,* **258**
Sports drinks and teeth: *letter,* **352**
Sports drinks hazard to teeth, **28**
sports injuries, Hazard of deceptive advertising of athletic footwear, **299**
sports injury clinics, Sports injury clinics: *leader,* **95**
stages of change, Factors that influence practice nurses to promote physical activity, **308**
step exercise, An investigation into the relation between step height and ground reaction forces in step exercise: a pilot study, **109**
stereology, Measurement of the quadriceps femoris muscle using magnetic resonance and ultrasound imaging, **59**
sternal fracture, Sternal fracture in a female army officer cadet: *letter,* **164**
strength training, Exercise for the older woman: choosing the right prescription: *review,* **5**
stress fracture, British Association of Sport and Medicine: Annual Congress 1996: *abstract,* **89**
Displaced stress fracture of the femoral neck in an active amenorrhoeic adolescent, **70**
Stress fracture of the proximal humeral epiphysis in an elite junior badminton player, **252**
Stress fracture of the scaphoid combined with the distal radial epiphysiolysis, **256**
stride frequency, Energy expenditure estimates of the Caltrac accelerometer for running, race walking, and stepping, **235**
stroke, Stroke without dissection from a neck holding manoeuvre in martial arts, **346**
subcutaneous rupture, Subcutaneous rupture of the Achilles tendon: basic science and some aspects of clinical practice: *review,* **285**
sudden cardiac death, Sudden death from cardiovascular disease in young athletes: fact or fiction?: *review,* **269**
swimmers, Time course of changes in bilateral arm power of swimmers during recovery from injury using a swim bench, **213**
swimming physiology, Comparison of iung volume in Greek swimmers, land based athletes, and sedentary controls using allometric scaling, **337**

taping, Role of ankle taping and bracing in the athlete: *review,* **102**
teeth, Sports drinks and teeth: *letter,* **258**
tendinitis, A cross sectional study of 100 athletes with jumper's knee managed conservatively and surgically, **332**
tendinosis, A cross sectional study of 100 athletes with jumper's knee managed conservatively and surgically, **332**

tennis training, Effects of tennis training on lipid metabolism and lipoproteins in recreational players, **322**
testing, Drug doping in senior Australian Rules football: a survey for frequency, **126**
training, British Association of Sport and Medicine: Annual Congress 1996: *abstract,* **89**
Overuse injuries: where to now?: *leader,* **2**
Physiological responses of wheelchair athletes at percentages of top speed, **36**
Responses of young girls to two modes of aerobic training, **139**
trampoline, Study of aeroball injuries, **200**
trauma, Traumatic occlusion of the external iliac artery in a racing cyclist: a cause of ill defined leg pain, **155**
treadmill, Power output for wheelchair driving on a treadmill compared with arm crank ergometry, **41**
turf-toe syndrome, Turf-toe: super league toe: *letter,* **164**

ultrasonography, Ultrasonographic assessment of adipose tissue volume: *letter,* **84**
ultrasound, Measurement of the quadriceps femoris muscle using magnetic resonance and ultrasound imaging, **59**
Provision of physiotherapy services at the sixth All Africa Games, **246**

walking, Effects of an 18 week walking programme on cardiac function in previously sedentary or relatively inactive adults, **48**
warning labels, Hazard of deceptive advertising of athletic footwear, **299**
wheelchair, Power output for wheelchair driving on a treadmill compared with arm crank ergometry, **41**
wheelchair athletes, Physiological responses of wheelchair athletes at percentages of top speed, **36**
women, Energy expenditure estimates of the Caltrac accelerometer for running, race walking, and stepping, **235**
Extract from "The effects of strenuous exertion on women"—*Practitioner, 1956* , **163**
wrist, Sports injuries of the hand and wrist: *review,* **191**